

L Number	Hits	Search Text	DB	Time stamp
-	10	kingsum.in. and chow.in..	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 12:46
-	10	kingsum.in. and chow.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 12:47
-	10	kingsum.in. near2 chow.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:38
-	73	edelman.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:52
-	24918	load near3 balanc\$3 or (mirror\$3 or duplicat\$4) near4 (server or host)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 12:02
-	39	(connect\$4 or select\$4 or choos\$3) near4 (server or host) with (fastest or quickest or "most efficient") near5 (response or respond\$3 or time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:57
-	56	web adj page with (link or hyperlink or URL) same (load near3 balanc\$3 or (mirror\$3 or duplicat\$4) near4 (server or host))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:58
-	18	((connect\$4 or select\$4 or choos\$3) near4 (server or host) with (fastest or quickest or "most efficient") near5 (response or respond\$3 or time)) and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:59
-	21	(web adj page with (link or hyperlink or URL) same (load near3 balanc\$3 or (mirror\$3 or duplicat\$4) near4 (server or host))) and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 17:42
-	2	edelman.xa. and load adj balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 19:16

-	93	"6324580" "6092178" "5933606" "6327622" "6223209" "6339785" "6606643" "5993596"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 19:11
-	84	("6324580" "6092178" "5933606" "6327622" "6223209" "6339785" "6606643" "5993596") and (@ad<20001120 or @prad<20001120)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/11 17:36
-	20	edelman.xa. and load	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 11:40
-	46025	load near3 balanc\$3 or (mirror\$3 or replica\$4) near4 (server or host)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 11:41
-	670	(load near3 balanc\$3 or (mirror\$3 or replica\$4) near4 (server or host)) and (default or primary) adj2 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 11:42
-	122	(load near3 balanc\$3 or (mirror\$3 or replica\$4) near4 (server or host)) and (default or primary) adj2 server with receiv\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 11:42
-	208	(load near3 balanc\$3 or (mirror\$3 or replica\$4) near4 (server or host)) and (default or primary) adj2 server with (receiv\$4 or request\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 11:42
-	106	(load near3 balanc\$3 or (mirror\$3 or replica\$4) near4 (server or host)) and (default or primary) adj2 server with (determin\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 11:42
-	142	(load near3 balanc\$3 or (mirror\$3 or replica\$4) near4 (server or host)) and (default or primary) adj2 server with (determin\$4 or decid\$4 or select\$4 or choos\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 11:43
-	98	((load near3 balanc\$3 or (mirror\$3 or replica\$4) near4 (server or host)) and (default or primary) adj2 server with (receiv\$4 or request\$4)) and ((load near3 balanc\$3 or (mirror\$3 or replica\$4) near4 (server or host)) and (default or primary) adj2 server with (determin\$4 or decid\$4 or select\$4 or choos\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 11:43

-	13	(dispatch\$3 or central or manag\$5) near5 itself near5 (mirror\$3 or replica\$4 or content) near3 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/03/11 12:00
-	22	("5434994" "5495607" "5550577" "5553239" "5555404" "5561769" "5586310" "5682478" "5737495" "5742598" "5751961" "5774660" "5778368" "5812784" "5828876" "5850490" "5852717" "5884038" "5919247" "5928306" "5933835" "6112239").PN.		2004/03/11 12:04
-	4	((dispatch\$3 or central or manag\$5) near5 itself near5 (mirror\$3 or replica\$4 or content) near3 server) and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 12:08
-	63	((load near3 balanc\$3 or (mirror\$3 or replica\$4) near4 (server or host)) and (default or primary) adj2 server with (receiv\$4 or request\$4)) and ((load near3 balanc\$3 or (mirror\$3 or replica\$4) near4 (server or host)) and (default or primary) adj2 server with (determin\$4 or decid\$4 or select\$4 or choos\$3))) and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 12:08
-	1	(connect\$5 or communicat\$5 or access\$4) near5 server with regardless near5 (closest or proximity or geograph\$5 or nearest)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/11 17:38
-	564	(connect\$5 or communicat\$5 or access\$4) near5 server near5 (fastest or response or time or quickest) and server near5 (closest or proximity or geograph\$5 or nearest)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/11 17:42
-	56	(connect\$5 or communicat\$5 or access\$4) near5 server near5 (fastest or response or time or quickest) same server near5 (closest or proximity or geograph\$5 or nearest)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/11 17:42
-	24	((connect\$5 or communicat\$5 or access\$4) near5 server near5 (fastest or response or time or quickest) same server near5 (closest or proximity or geograph\$5 or nearest)) and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 11:52
-	1	(each or all or every) near3 server near2 (mirror\$3 or replica\$3 or duplicat\$3) near5 (stor\$3 or list or table or database) near3 (connection or path or route or response or time or delay or efficiency or load)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 12:02

-	47	(each or all or every) near3 server near5 (stor\$3 or list or table or database) near3 (connection or path or route or response or time or delay or efficiency or load)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 12:02
-	47127	load near3 balanc\$3 or (mirror\$3 or duplicat\$4 or replica\$4) near4 (server or host)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 12:02
-	1	((each or all or every) near3 server near5 (stor\$3 or list or table or database) near3 (connection or path or route or response or time or delay or efficiency or load)) same (load near3 balanc\$3 or (mirror\$3 or duplicat\$4 or replica\$4) near4 (server or host))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 12:03
-	9	((each or all or every) near3 server near5 (stor\$3 or list or table or database) near3 (connection or path or route or response or time or delay or efficiency or load)) and (load near3 balanc\$3 or (mirror\$3 or duplicat\$4 or replica\$4) near4 (server or host))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 12:03

IEEE Search:

(load <near/2> balanc*) and (mirror* or duplicat* or replica*) <near/3> (host or server)

((load <near/2> balanc*) or (mirror* or duplicat* or replica*) <near/3> (host or server)) <near/5> (web adj page or link or hyperlink)

((load <near/2> balanc*) or (mirror* or duplicat* or replica*) <near/3> (host or server)) and (web adj page or link or hyperlink) and (shortest or quickest or efficient or response or time)